




U.S. Department of Labor Occupational Safety and Health Administration

OSHA Ergonomics Program Standard



Musculoskeletal Disorders (MSDs)


- #1 injury in American workplaces
- More than 1/3 of lost-workday injuries
- Painful to workers; costly to employers



**Ergonom
ics**

Ergonomics

- Fitting the job to the worker
- Solution to MSDs
- Higher productivity, increased job satisfaction




**Ergonom
ics**

MSDs

- 1.8 million reported each year
- 1.8 million unreported each year
- 600,000 lost-workday injuries


Source: Bureau of Labor Statistics



**Ergonom
ics**

OSHA Ergonomics Program Standard

- Prevent **Each Year Will** 400,000 injuries
- Save \$9.1 billion
- Cost \$4.5 billion



**Ergonom
ics**

Covers General Industry

- 6.1 million workplaces
- 102 million workers
(60 million at sites that haven't addressed ergonomics)


Excludes construction, maritime, agriculture and railroads



**Ergonom
ics**

All Employers Must


- Provide basic information to employees on MSDs
- By October 15, 2001



**Ergonom
ics**

Basic Information

- Optional 2-page fact sheet
- Optional ergonomics standard summary



www.osha.gov



Ergonomics

Injury Reports

- Is it an MSD incident?
 - Work-related?
 - Days off work?
 - Restricted work/treatment beyond first aid?
 - Persistent signs/symptoms?
- Employer may consult health care professional



**Ergonom
ics**

Does the Job Meet the Action Trigger?

- Basic Screening Tool - Five Risk Factors
At least once per week:

- Repetition
- Force
- Awkward Postures
- Contact Stress
- Vibration

68248 Federal Register/Vol. 65, No. 226/Tuesday, November 14, 2000/Rules and Regulations

Table W-1 - Basic Screening Tool

You need only review risk factors for those areas of the body affected by the MSD incident.

Risk Factors This Standard Covers	Performing job or tasks that involve:	Body Part Associated With MSD Incident			
		Neck/Shoulder	Hand/Wrist/Arm	Back/Trunk/Hip	Leg/Knee/Ankle
Repetition	(1) Repeating the same motions every few seconds or repeating a typical motion involving the affected body part more than twice per minute for more than 2 consecutive hours in a workday.	✓	✓	✓	✓
	(2) Using an input device, such as a keyboard and/or mouse, in a steady manner for more than 4 hours total in a workday.	✓	✓		
Force	(3) Lifting more than 15 pounds at any one time, more than 55 pounds more than 12 times per day, or more than 25 pounds below the knees, above the shoulders, or at arm's length more than 23 times per day.	✓	✓	✓	✓
	(4) Pushing/pulling with more than 20 pounds of initial force (e.g., equivalent to pushing a 65 pound box across a tile floor or pushing a shopping cart with five 10 pound bags of dog food) for more than 2 hours total per day.	✓	✓	✓	✓
	(5) Pushing an unsupported object weighing 2 or more pounds per hand, or use of an equivalent pinching force (e.g., holding a small binder clip open) for more than 2 hours total per day.		✓		
	(6) Gripping an unsupported object weighing 10 pounds or more per hand, or use of an equivalent gripping force (e.g., crushing the sides of an aluminum soda can with one hand), for more than 2 hours total per day.		✓		

Federal Register/Vol. 65, No. 226/Tuesday, November 14, 2000/Rules and Regulations 68249

Table W-1 - Basic Screening Tool - continued

You need only review risk factors for those areas of the body affected by the MSD incident.


Risk Factors This Standard Covers	Performing job or tasks that involve:	Body Part Associated With MSD Incident			
		Neck/Shoulder	Hand/Wrist/Arm	Back/Trunk/Hip	Leg/Knee/Ankle
Awkward Postures	(7) Repeatedly raising or working with the hand(s) above the head or the elbow(s) above the shoulder(s) for more than 2 hours total per day.	✓	✓	✓	
	(8) Kneeling or squatting for more than 2 hours total per day.			✓	✓
	(9) Working with the back, neck or wrist bent or twisted for more than 2 hours total per day (see figures).	✓	✓	✓	
Contact Stress	(10) Using the hand or knee as a hammer more than 10 times per hour for more than 2 hours total per day.		✓		✓
Vibration	(11) Using vibrating tools or equipment that typically have high vibration levels (such as chainsaws, jack hammers, percussive tools, drilling or grinding) for more than 30 minutes total per day.	✓	✓	✓	
	(12) Using tools or equipment that typically have moderate vibration levels (such as jigsaws, grinders or sanders) for more than 2 hours total per day.	✓	✓		

ILLUSTRATION BY B. C.

Ergonomics

Risk Factor: Repetition

- Same motions every few seconds
- 2 consecutive hours per day



**Ergonom
ics**

Risk Factor: Repetition

- Intensive keyboarding
- 4 hours total per day



**Ergonom
ics**

Risk Factor: Force


- Lifting (daily)
 - 75 lbs. once
 - 55 lbs. 10 times
 - 25 lbs. (awkward postures)
25 times
- Pushing/pulling (20 lbs. force)
 - 2 hours total per day



**Ergonom
ics**

Risk Factor: Force (2 Hours Per Day)


- Pinching
(unsupported 2 lb.
object)
- Gripping
(unsupported 10 lb.
object)



**Ergonom
ics**

Risk Factor: Awkward Postures (2 Hours Per Day)


- Back, neck, or wrists bent/twisted
- Kneeling/squatting
- Working with hands above head or elbows above shoulders



**Ergonom
ics**

Risk Factor: Contact Stress (2 Hours Per Day)


- Using hand/knee and hammer more than 10 times per hour




**Ergonom
ics**

Risk Factor: Vibration

- Using high-vibration tools (chain saws, jack hammers, percussive tools)
- 30 minutes per day





**Ergonom
ics**



Risk Factor: Vibration

- Using moderate vibration tools (jig saws, grinders, sanders) 2 hours per day



**Ergonom
ics**

Risk Factor


- If job includes a risk factor in the basic screening tool, it meets the action trigger and the employer must:
 - Do a “Quick Fix”
 - Or establish an ergonomics program for that job and further analyze the job to see if it must be fixed.



**Ergonom
ics**

Quick Fix


- Problem can be resolved in 90 days
- Only 1 MSD, no more than 2 MSDs at site in 18 months. Applies to all workers in the same job within that facility. Can be limited to one employee if the MSD hazard only exists for that employee.



**Ergonom
ics**

Ergonomics Program (Job-Based)


- Management leadership and employee participation
- Job hazard analysis and control
- Training
- MSD management
- Program evaluation



**Ergonom
ics**

Grandfather Clause for Ergonomics Programs


- Implemented before Nov. 14, 2000
- Evaluated by Jan. 16, 2001
- Incorporate MSD management by Jan. 16, 2002



**Ergonom
ics**

Job Hazard Analysis


- Evaluate job that meets the action trigger
- Use one of 9 evaluation tools in Appendix D or other effective method



**Ergonom
ics**

Problem Job


- If analysis indicates a “problem job,” consult employees and fix it.
 - 90 days for initial controls
 - Up to 2 years for permanent controls; (4 years in the phase-in period)
- Otherwise, maintain ergonomics program.



**Ergonom
ics**

MSD Management

- For MSD incidents where job meets the action trigger, employer must provide:
 - Access to a health care professional
 - Evaluation and follow-up
 - Work restrictions if necessary
 - Work Restriction Protection



**Ergonom
ics**

Work Restriction Protection (WRP)


- Encourages early reporting
- Reduces risk of disability
- Limits financial loss to worker
- Includes dispute resolution process if health care professionals disagree



**Ergonom
ics**

WRP


- Light duty—100 percent earnings, 100 percent benefits
- Home to recover—90 percent earnings, 100 percent benefits
- Offset by workers' compensation, option to use sick leave



**Ergonom
ics**

WRP Continues Until


- Employee can safely return to work
 - Health care professional determines employee can never return to that job
 - 90 calendar days have passed
- ... whichever comes first.



**Ergonom
ics**

Good Ergonomics Is Good Economics


- There are many solutions to work-related problems.
- Jobs that are fixed will keep future employees from developing injuries.



**Ergonom
ics**

Action: A Bakery redesigned its workstations and modified its tools.


Results: Absenteeism related to carpal tunnel syndrome decreased from 731 lost workdays to 8 lost workdays.



**Ergonom
ics**

Action: A Nursing Home set up a mandatory “no single person lift” policy, and purchased mechanical lift equipment for use in all resident transfers.


Results: Cut lost workdays by 80 percent.



**Ergonom
ics**

Action: An Oil Refinery added platforms, installed hoists over work tables, and conducted back injury training.


Results: Injury rates dropped by 90 percent.



**Ergonom
ics**


Action: A Copying Machine Control Assembly Company replaced standard workbenches with an adjustable stand.

Results: MSD rate declined by 50 percent.



**Ergonom
ics**


Ergonomics is a step forward for both employers and employees.



**Ergonom
ics**

Additional Help

- See OSHA's website at www.osha.gov for
 - Publications
 - Interactive tools
 - Links to helpful websites
- Also see NIOSH's website - - National Institute for Occupational Safety and Health
 - - www.cdc.gov/niosh/homepage.html



**Ergonom
ics**



U.S. Department of Labor Occupational Safety and Health Administration

Ergonomi

OS:
Real

People
Real

Problems
Real

Solutions

